

	Hits	Search Text
1	23	titrat\$4 with mixtur\$3 with (in-line or on-line or continuously)
2	8	(titrat\$4 with mixtur\$3 with (in-line or on-line or continuous\$3)) and spectr\$6
3	663	titrat\$4 with (spectrophotometr\$4 or spectr\$5)
4	18	(titrat\$4 with (spectrophotometr\$4 or spectr\$5)) with mixtur\$3
5	0	(titrat\$4 with (spectrophotometr\$4 or spectr\$5)) with continuous\$3
6	248	(titrat\$4 with (spectrophotometr\$4 or spectr\$5)) and continuous\$3
7	224	((titrat\$4 with (spectrophotometr\$4 or spectr\$5)) and continuous\$3) and concentration\$2
8	40	titrat\$4 with mixtur\$3 with (in-line or on-line or continuous\$3)
9	602	(titrat\$4 with (spectrophotometr\$4 or spectr\$5)) and (mixtur\$3 or mixing or inputs)
10	592	((titrat\$4 with (spectrophotometr\$4 or spectr\$5)) and (mixtur\$3 or mixing or inputs)) and (concentration\$3 or amount\$2 or quantit\$3)
11	2	("5192509").PN.
12	3	titrat\$4 with autosampler
13	2912	((422/62,68.1,75) or (436/163)).CCLS.
14	791	((((422/62,68.1,75) or (436/163)).CCLS.) and (color\$3 or colorimetric or spectrophotometric)
15	1	titrat\$4 with scanning with (spectrophotometr\$4 or optic\$4)

	Hits	Search Text
16	2660	scanning with (spectrophotometr\$4 or optic\$4) with input\$2
17	98	(scanning with (spectrophotometr\$4 or optic\$4) with input\$2) and fluid\$2 and detect\$4
18	72267	(scanning or multiwave\$3 or (plural\$4 near3 frequenc\$4)) with (spectrophotometr\$4 or optic\$4)
19	368	((scanning or multiwave\$3 or (plural\$4 near3 frequenc\$4)) with (spectrophotometr\$4 or optic\$4)) and titrat\$4